



Seminar/Talk

Vienna Probability Seminar: From 1 to 6 in branching Brownian motion

Lisa Hartung

University of Mainz

Host: Jan Maas

Abstract: Brownian motion is a classical process in probability theory belonging to the class of Log-correlated random fields'. It is well known do to Bramson that the order of the maximum has a different logarithmic correction as the corresponding independent setting. In this talk we look at a version of branching Brownian motion where we slightly vary the diffusion parameter in a way that, when looking at the order of the maximum, we can smoothly interpolate between the logarithmic correction for independent random variables ($\frac{1}{2\sqrt{2}}\ln(t)$) and the logarithmic correction of BBM ($\frac{3}{2\sqrt{2}}\ln(t)$) and the logarithmic correction of 2-speed BBM with increasing variances ($\frac{6}{2\sqrt{2}}\ln(t)$). We also establish in all cases the asymptotic law of the maximum and characterise the extremal process, which turns out to coincide essentially with that of standard BBM. We will see that the key to the above results is a precise understanding of the entropic repulsion experienced by an extremal particle. (joint work with A. Bovier)

Tuesday, January 29, 2019 04:30pm - 05:30pm

Big Seminar room Ground floor / Office Bldg West (I21.EG.101)



This invitation is valid as a ticket for the ISTA Shuttle from and to Heiligenstadt Station.

Please find a schedule of the ISTA Shuttle on our webpage:

<https://ista.ac.at/en/campus/how-to-get-here/> The ISTA Shuttle bus is marked ISTA Shuttle (#142) and has the Institute Logo printed on the side.