



Seminar/Talk

An Eyring-Kramers formula for the spectral gap of the stochastic Allen-Cahn equation

Giacomo Di Gesù

TU Wien

Host: M. Beiglboeck, N. Berestycki, L. Erdoes, J. Maas

We consider the Allen-Cahn equation on the one-dimensional torus, perturbed by a small spacetime white noise. The deterministic equation is a nonlinear PDE, which can be seen as a gradient flow with respect to a double-well energy. If a small noise is added, the typical picture of a metastable dynamics emerges: the system quickly reaches a local equilibrium in one of the two wells; this state endures for an exponentially long time, until a sufficiently large stochastic fluctuation enables the system to overcome the energetic barrier separating the two wells. This behavior produces a slowdown in the relaxation to the equilibrium measure, reflected e.g. by an exponentially small spectral gap. In this talk I will present a technique which provides a formula for the precise asymptotic behavior of the spectral gap, showing that the prefactor is given by a suitable Fredholm determinant. The formula shows that the gap behaves like twice the inverse of the metastable transition time from one well to the other.

Tuesday, December 10, 2019 05:30pm - 06:30pm

SR 14, 2 OG., OMP 1, University of Vienna



This invitation is valid as a ticket for the ISTA Shuttle from and to Heiligenstadt Station.

Please find a schedule of the ISTA Shuttle on our webpage:

<https://ista.ac.at/en/campus/how-to-get-here/> The ISTA Shuttle bus is marked ISTA Shuttle (#142) and has the Institute Logo printed on the side.