



Mathematics and CS Seminar

The stationary (2+1)-dimensional AKPZ equation

Fabio Toninelli

TU Wien

Host: M. Beiglböck, N. Berestycki, L. Erdős, J. Maas, F. Toninelli

The AKPZ equation is an anisotropic variant of the celebrated (two-dimensional) KPZ stochastic PDE, which is expected to describe the large-scale behavior of (2+1)-dimensional growth models whose average speed of growth is a non-convex function of the average slope (AKPZ universality class). Several interacting particle systems belonging to the AKPZ class are known, notably a class of two-dimensional interlaced particle systems introduced by A. Borodin and P. Ferrari. The AKPZ equation has been conjectured to have the same large-scale behavior as the stochastic heat equation with additive noise (2d-SHE). In this talk, I will show that this is not really true: in fact, the stationary equation is not invariant under diffusive rescaling (as the 2d-SHE is), not even asymptotically on large scales, as the diffusion coefficient diverges (logarithmically) for large times. [Based on joint work with G. Cannizzaro and D. Erhard]

Tuesday, November 24, 2020 05:30pm - 06:15pm

Online via Zoom



This invitation is valid as a ticket for the ISTA Shuttle from and to Heiligenstadt Station. Please find a schedule of the ISTA Shuttle on our webpage: <https://ista.ac.at/en/campus/how-to-get-here/> The ISTA Shuttle bus is marked ISTA Shuttle (#142) and has the Institute Logo printed on the side.