



## Seminar/Talk

# Exploring Quantum Antiferromagnets with single-site resolution

**Daniel Greif**

Harvard University

Host: Johannes Fink

Strongly correlated electron systems such as high-temperature superconductors and pseudo-gap states are a cornerstone of modern condensed matter research. A complementary approach to studying solid-state systems is to build an experimentally tunable quantum system governed by the Hubbard model, which is thought to qualitatively describe these systems but is difficult to understand theoretically. Ultracold fermionic quantum gases in optical lattices provide a clean and tunable implementation of the Hubbard model. At the same time, optical microscopy in these systems gives access to single-site observables and correlation functions, and provides dynamic control of the potential landscape at the single-site level.

So far, ultracold atom experiments have not been able to reach the low-temperature regime of the Hubbard model, which becomes particularly interesting when doped. I will report on the observation of antiferromagnetic long-range order in a repulsively interacting Fermi gas of Li-6 atoms on a 2D square lattice containing about 80 sites. The ordered state is directly detected from a peak in the spin structure factor and a diverging correlation length of the spin correlation function. When doping away from half-filling into a numerically intractable regime, we find that long-range order extends to doping concentrations of about 15%. Our results open the path for a controlled study of the low-temperature phase diagram of the Hubbard model.

**Monday, July 17, 2017 03:00pm - 08:00pm**

Big Seminar room Ground floor / Office Bldg West (I21.EG.101)



This invitation is valid as a ticket for the ISTA Shuttle from and to Heiligenstadt Station.

Please find a schedule of the ISTA Shuttle on our webpage:

<https://ista.ac.at/en/campus/how-to-get-here/> The ISTA Shuttle bus is marked ISTA Shuttle (#142) and has the Institute Logo printed on the side.

